

Revision Date 29-Mar-2021

SAFETY DATA SHEET

Version 5

	1. IDENTIFICATION	
<u>Product identifier</u> Product Name	AUTO MAGIC BLACK VINYL COAT	
Other means of identification Product Code	38- 02	
	30- 02	
Recommended use of the chemica Recommended Use	<u>I and restrictions on use</u> Automotive Care Product. Coating. For profe	asional una antre
Uses advised against	Uses other than recommended use.	
Details of the supplier of the safety	data sheet	
Manufacturer Address		May Also Be Distributed by:
ITW Evercoat		ITW Permatex Canada
6600 Cornell Road		101-2360 Bristol Circle
Cincinnati, Ohio 45242		Oakville, ON Canada L6H 6M5
Telephone: 513-489-7600		Telephone: (800) 924-6994
24-hour emergency phone number		
CHEMTREC: 1-800-424-9300 INTERNATIONAL: 1-703-527-3887		
E-mail address: Info@automagic.co	m	
	2. HAZARDS IDENTIFICATIO	N
<u>Classification</u>		
OSHA Regulatory Status		
i his chemical is considered hazardol	is by the 2012 OSHA Hazard Communication S	Standard (29 CFR 1910.1200)
Carcinogenicity	is by the 2012 OSHA Hazard Communication S	Standard (29 CFR 1910.1200) Category 2
	is by the 2012 OSHA Hazard Communication S	
Carcinogenicity Label elements	is by the 2012 OSHA Hazard Communication S	
Carcinogenicity Label elements Signal word	·	
Carcinogenicity Label elements	·	
Carcinogenicity Label elements Signal word Warning	·	
Carcinogenicity Label elements Signal word	·	
Carcinogenicity Label elements Signal word Warning	·	

Obtain special instructions before use Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
1-Methoxy-2-propanol	107-98-2	3 - 7
Synthetic Amorphous Silica	112926-00-8	1 - 5
Poly(oxy-1,2-ethanediyl),	68412-54-4	1 - 5
a-(nonylphenyl)-w-hydroxy-, branched		
Carbon Black	1333-86-4	1 - 5
Ammonium hydroxide	1336-21-6	0.1 - 1

4. FIRST AID MEASURES

Description of first aid measures		
General advice	If symptoms persist, call a physician.	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.	
Skin contact	Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.	
Inhalation	Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	See section 2 for more information.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES Suitable extinguishing media Use, Use dry chemical, Carbon dioxide (CO2), Water spray (fog), Alcohol resistant foam Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire Specific hazards arising from the chemical Keep product and empty container away from heat and sources of ignition. Risk of ignition. Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None. Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Personal precautions Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required. Environmental precautions **Environmental precautions** Do not flush into surface water or sanitary sewer system. See section 12 for additional ecological information. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Methods and material for containment and cleaning up Methods for containment Prevent further leakage or spillage if safe to do so. Methods for cleaning up Use personal protective equipment as required. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges. Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations. 7. HANDLING AND STORAGE Precautions for safe handling Advice on safe handling Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Conditions for safe storage, including any incompatibilities **Storage Conditions** Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Incompatible materials Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
1-Methoxy-2-propanol	STEL: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm
107-98-2	TWA: 50 ppm	(vacated) TWA: 360 mg/m ³	TWA: 360 mg/m ³
		(vacated) STEL: 150 ppm	STEL: 150 ppm
		(vacated) STEL: 540 mg/m ³	STEL: 540 mg/m ³
Synthetic Amorphous Silica	-	(vacated) TWA: 6 mg/m ³	-
112926-00-8		TWA: 20 mppcf	
		: (80)/(% SiO2) mg/m ³ TWA	
Carbon Black	TWA: 3 mg/m ³ inhalable particulate	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
1333-86-4	matter	(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
			TWA: 0.1 mg/m ³ Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical a Physical state Appearance Odor Odor threshold	and chemical properties Liquid Black No information available No information available	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point	<u>Values</u> No information available No information available >37.78 °C / >100 °F Closed cup: >96 °C / Closed cup: >204.8 °F	Remarks • Method Does not sustain combustion according to ASTM D 4206.
Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure	No information available No information available No information available No information available No information available	

Vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature	No information available 1.04 Insoluble in water Partially soluble No information available No information available Stable under recommended storage and handling conditions (see Section 7).
Kinematic viscosity	(40°C (104°F)): <0.2 cm2/s (<20 cSt)
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	The substance or mixture is not classified as oxidizing.
Other Information Softening point Molecular weight VOC content Density Bulk density SADT (self-accelerating decomposition temperature)	No information available No information available Volatility 71% (w/w). Solid 28.603% (w/w). Actual VOC is 62.12 g/l and the Regulatory VOC is 193.64 g/l. 8.68 Lbs./ Gal No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

No information available

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

Ammonium hydroxide

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of res	May cause irritation of respiratory tract.		
Eye contact	Contact with eyes may ca	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.		
Skin contact	May cause skin irritation	May cause skin irritation and/or dermatitis.		
Ingestion	Ingestion may cause irrita	Ingestion may cause irritation to mucous membranes.		
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
1-Methoxy-2-propanol 107-98-2	= 5000 mg/kg (Rat)	= 13 g/kg (Rabbit)	> 7559 ppm (Rat)6 h	
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	-	> 4.6 mg/m³(Rat)4 h	

= 350 mg/kg (Rat)

1336-21-6

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity		on available. Iow indicates whether each		
Chemical Name	ACGIH	IARC	NTP	OSHA
Synthetic Amorphous Silica 112926-00-8	-	Group 3	-	-
Carbon Black 1333-86-4	A3	Group 2B	-	X
ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans Not classifiable as a human carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present Target Organ Effects Central nervous system, Eyes, Lymphatic System, Respiratory system, Skin.				
The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 13028 mg/kg ATEmix (dermal) 53334 mg/kg ATEmix (inhalation-vapor) 94524.5 mg/l				

12. ECOLOGICAL INFORMATION

Ecotoxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical Name	Partition coefficient
1-Methoxy-2-propanol	-0.437
107-98-2	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	No information available

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name		California Hazardous Waste Status	
Ammonium hydroxide		Toxic	
1336-2	21-6	Corrosive	
	44 TRANEDOD		
	14. IKANSPUK	TINFORMATION	
Note: <u>DOT</u>	This information is not intended to convey all specific regulatory information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.		
Proper shipping name	Not regulated		
IATA Proper shipping name	Not regulated		
IMDG Proper shipping name	Not regulated		

15. REGULATORY INFORM	IATION
-----------------------	--------

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Not determined
KECL	Not determined
PICCS	Not determined
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Poly(oxy-1,2-ethanediyl), a-(nonylphenyl)-w-hydroxy-, branched - 68412-54-4	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Personal protection B

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

C	nemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Amn	nonium hydroxide	1000 lb	-	-	Х
	1336-21-6				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Carbon Black	Carcinogen
1333-86-4	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1-Methoxy-2-propanol 107-98-2	Х	X	Х
Propylene Glycol 57-55-6	Х	-	Х
Synthetic Amorphous Silica 112926-00-8	Х	X	Х
Carbon Black 1333-86-4	Х	X	Х
Ammonium hydroxide 1336-21-6	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Instability 0

Physical hazards 0

NFPA	Health hazards	2	Flammability	1
HMIS	Health hazards	2	Flammability	1

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date

29-Mar-2021

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet