Product Name: E-Z CLEAN HD 5 GAL.

Product identifier: 8B-5 Revision Date: 08-19-2016

Replaces:



1. Identification

Product identifier used on the label:

Product Name: E-Z CLEAN HD 5 GAL.

Product identifier: 8B-5

Other means of identification

Synonyms: No data available

Recommended use of the chemical and restrictions on

Automotive reconditioning product

use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

Emergency phone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification: Not classified as hazardous under GHS

GHS Hazard Statements: No hazard statements required

Hazards not otherwise

classified:

No data available

3. Composition/information on ingredients				
Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient		
Sodium hydroxide	1310-73-2	0.5 - 1.5		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Product Name: E-Z CLEAN HD 5 GAL.

Product identifier: 8B-5 Revision Date: 08-19-2016

Replaces:

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Immediately flush eyes with plenty of water for at least 20 minutes

retracting eyelids often. This corrosive material can cause

immediate and permanent eye damage. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised

by your physician.

Skin Contact: Wash with soap and water under a drench shower. Remove

contaminated clothing, launder immediately, and discard

contaminated leather goods. Get medical attention immediately.

Inhalation: Remove to fresh air. If breathing is difficult, have a trained

individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get

medical attention immediately

Ingestion: Corrosive. Do not induce vomiting! Drink one glass of water

followed by milk if available. Seek medical attention immediately

and give the medical care provider with this SDS.

Most important symptoms/effects, acute and delayed:

Most important No data available

symptoms/effects (Acute):

Most important No data available

symptoms/effects (Delayed):

Indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical

extinguishing agents. Water spray or fog may also be effective for extinguishing if swept across the base of the fire. Water can also be

used to absorb heat and keep exposed material from being

damaged by fire.

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Fire and/or Explosion Vapors may be ignited by heat, sparks, flames or other sources of

Hazards: ignition at or above the low flash point giving rise to a Class B fire.

Product Name: E-Z CLEAN HD 5 GAL.

Product identifier: 8B-5 Revision Date: 08-19-2016

Replaces:

Vapors are heavier than air and may travel to a source of ignition

and flash back

Carbon dioxide, Carbon monoxide

Hazardous Combustion Products:

Special protective equipment and precautions for fire-

fighters:

Do not enter fire area without proper protection including selfcontained toxic breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.

Flammable component(s) of this material may be lighter than water and burn while floating on the surface. Use water spray/fog for cooling. Flammable component(s) of this material may be lighter

than water and burn while floating on the surface.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

Methods and materials for containment and cleaning up:

No special spill clean-up considerations. Collect and discard in

regular trash.

7. Handling and storage

Precautions for safe handling: Toxic or severely irritating material. Avoid contacting and avoid

breathing the material. Use only in a well ventilated area. Use

spark-proof tools and explosion-proof equipment

Conditions for safe storage, including any incompatibilities

Conditions for safe storage: Store in a cool dry ventilated location. Isolate from incompatible

materials and conditions. Keep container(s) closed. Keep away

from sources of ignition

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents Acids Metals Water Organic halides

Product Name: E-Z CLEAN HD 5 GAL.

Product identifier: 8B-5 **Revision Date:** 08-19-2016

Replaces:

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Sodium hydroxide	2 mg/m3	2 mg/m3	No data available

Appropriate engineering controls:

Local exhaust ventilation, process enclosures, or other engineering controls are necessary when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Engineering controls must be designed to control vapor concentrations to below levels published in 29 CFR 1910.1000. Facilities storing or using this material should be equipped with an

eyewash and safety shower.

Individual protection measures, such as personal protective equipment:

Eye Protection: Wear chemical splash goggles when handling this product.

> Additionally, wear a face shield when the possibility of splashing of liquid exists. Do not wear contact lenses. Have an eye wash station

available. Wear goggles and a Face shield

Skin Protection: Avoid skin contact by wearing chemically resistant gloves, an apron

and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and

chemical safety goggles plus a face shield

Respiratory Protection: Respiratory protection must be used when handling this product.

> Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. A supplied air type respirator may be required. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved respirator if any exposure is

possible.

Other Protective Equipment: Wear goggles and a Face shield Where contact is likely, wear

chemical resistant gloves, a chemical suit, rubber boots, and

chemical safety goggles plus a face shield

Product Name: E-Z CLEAN HD 5 GAL.

Product identifier: 8B-5 Revision Date: 08-19-2016

Replaces:

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): Liquid
Color: Blue
Odor: Cherry

Odor threshold: No data available

pH: 10.5 - 11

Melting Point/Freezing Point (°C):

No data available

Initial Boiling Point and Boiling Range (°C): 100

Flash Point (°C):

Evaporation Rate:

Flammability (solid, gas):

Not available none

No data available

No data available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit (%):
Lower Flammable/Explosive Limit (%):
Vapor Pressure:
No data available
No data available
No data available
No data available

Relative Density: 1.05

Solubility(ies):

Partition coefficient: n-octanol/water:

Auto-ignition Temperature (°C):

Decomposition Temperature:

Viscosity:

Complete: 100%

No data available

No data available

No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous No data available

reactions:

Conditions to avoid (e.g., static Contact with water **discharge, shock, or vibration):** Contamination

Incompatible materials: Strong oxidizing agents Acids Metals Water Organic halides

Hazardous decomposition Phosphorus compounds

products:

11. Toxicological information

Product Name: E-Z CLEAN HD 5 GAL.

Product identifier: 8B-5 **Revision Date:** 08-19-2016

Replaces:

Information on the likely routes

Contact, Inhalation, Ingestion, Skin contact, Eye contact

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the

No data available

physical, chemical and toxicological characteristics:

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can be corrosive to the respiratory tract causing severe irritation and tissue damage.

Skin Contact: Corrosive to skin tissue. Can cause chemical burns. Corrosive, causes skin burns and

permanent skin damage (scarring).

Eye Contact: Corrosive to eye tissue. Can cause severe irritation, tearing, and burns that can

quickly lead to permanent injury including blindness. Corrosive. Will cause eye

burns and permanent tissue damage.

Ingestion Irritation: Corrosive to tissue. Can cause severe and permanent damage to mouth, throat,

stomach. Aspiration may lead to lung damage. Corrosive to tissue. Can cause severe and permanent damage to mouth, throat, stomach. Aspiration may lead to lung

damage.

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA. Cancer hazard! Contains

a material that can cause cancer.

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can be corrosive to the respiratory tract

causing severe irritation and tissue damage.

Skin Contact: Upon prolonged or repeated contact, corrosive to skin tissue. Can cause chemical

burns.

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	
No data available	N	N	N	ĺ

Product Name: E-Z CLEAN HD 5 GAL.

Product identifier: 8B-5 Revision Date: 08-19-2016

Replaces:

12. Ecological information

Ecotoxicity (aquatic and

Harmful to aquatic life.

terrestrial, where available):

Persistence and degradability: No data available

Bioaccumulative potential: No data

Mobility in soil: No data available
Other adverse effects (such as No data available

hazardous to the ozone layer):

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material is a hazardous waste.

Waste treatment methodsDispose of by incineration following Federal, State, Local, or

(including packaging): Provincial regulations.

Waste Disposal Code(s): D001

14. Transport information

UN number:No data availableUN proper shipping name:Not RegulatedTransport hazard class(es):No data availablePacking group:No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory.

Product Name: E-Z CLEAN HD 5 GAL.

Product identifier: 8B-5 Revision Date: 08-19-2016

Replaces:

Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Sodium hydroxide	1310-73-2	N	N	Υ	N
Diethanolamine	111-42-2	N	N	Υ	Υ

16. Other information, including date of preparation or last revision.

Revision Date: 08-19-2016

Revision Number: 10

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances