

# MATERIAL SAFETY DATA SHEET



**Date-Issued:** 07/07/2000  
**MSDS Ref. No:** 10058  
**Date-Revised:** 07/27/2004  
**Revision No:** 1

## Leather Conditioner

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Leather Conditioner  
**PRODUCT DESCRIPTION:** Lanolin enriched lotion  
**PRODUCT CODE:** 58  
**PRODUCT FORMULATION NAME:** Leather Conditioner

#### MANUFACTURER

Auto Wax Company, Inc.  
Auto Magic®  
1275 Round Table Drive  
Dallas, TX 75247  
**Product Stewardship:** 1-214-631-4000  
**Transportation:** 1-800-826-0828  
Auto Wax Company, Inc.  
Auto Magic®

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

**CHEMTREC (U.S.):** (800) 424-9300  
**CANUTEC:** (613) 996-6666  
**Emergency Phone:** 1-800-826-0828

**COMMENTS:** To the best of our knowledge, this Material Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200.

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>Wt.%</u>	<u>CAS#</u>	<u>EINECS#</u>
Naphtha(petroleum), hydrotreated heavy (mineral spirits)	20 - 30	64742-48-9	265-150-3

### 3. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

**IMMEDIATE CONCERNS:** Harmful if swallowed.

## **POTENTIAL HEALTH EFFECTS**

**EYES:** Moderately irritating to the eyes.

**SKIN:** Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**INGESTION:** Harmful if swallowed.

**INHALATION:** Prolonged or excessive inhalation may cause respiratory tract irritation.

**ACUTE TOXICITY:** May cause headaches and dizziness.

**MEDICAL CONDITIONS AGGRAVATED:** dermatitis may be aggravated by excessive exposure to skin.

**ROUTES OF ENTRY:** include skin contact, eye contact and ingestion

**TARGET ORGAN STATEMENT:** not established

**CANCER STATEMENT:** not established

---

## **4. FIRST AID MEASURES**

**EYES:** Flush eye with water for 15 minutes. Seek medical attention if irritation persists.

**SKIN:** Wash with soap and water.

**INGESTION:** Do not induce vomiting. Seek medical attention immediately.

**INHALATION:** Move to fresh air

---

## **5. FIRE FIGHTING MEASURES**

**FLASHPOINT AND METHOD:** ~ 52°C TCC

**FLAMMABLE LIMITS:** not available

**FLAMMABLE CLASS:** Material will not support combustion.

**EXTINGUISHING MEDIA:** use foam, dry chemical or carbon dioxide extinguisher

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Monoxide and Carbon Dioxide

**EXPLOSION HAZARDS:** not established

**FIRE FIGHTING PROCEDURES:** not established

**AUTOIGNITION TEMPERATURE:** not established

**SENSITIVE TO STATIC DISCHARGE:** not established

**SENSITIVITY TO IMPACT:** not established

---

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Contain and collect with absorbent

**LARGE SPILL:** LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent.

### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.

---

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** Keep out of reach of Children.

**STORAGE TEMPERATURE:** 4°C (40°F) minimum to 35°C (95°F) maximum

**SHELF LIFE:** one year

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES:

#### OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)

	<u>EXPOSURE LIMITS</u>					
	<u>OSHA PEL</u>		<u>ACGIH TLV</u>		<u>Supplier OEL</u>	
	<u>ppm</u>	<u>mg/m<sup>3</sup></u>	<u>ppm</u>	<u>mg/m<sup>3</sup></u>	<u>ppm</u>	<u>mg/m<sup>3</sup></u>
Naphtha(petroleum), hydrotreated heavy (mineral spirits)					300	1900

**ENGINEERING CONTROLS:** Good general ventilation should be sufficient to control airborne levels.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Wear safety glasses with side shields or goggles.

**SKIN:** Use Nitrile/ Vinyl gloves

**RESPIRATORY:** NIOSH respirator -(organic vapor) in absence of proper environmental control.

**PROTECTIVE CLOTHING:** Clean, body-covering clothing

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**ODOR:** Leather Odor

**APPEARANCE:** White Liquid

**pH:** Not applicable

**PERCENT VOLATILE:** 85-95

**VAPOR PRESSURE:** Not Available

**VAPOR DENSITY:** Not Available

**FREEZING POINT:** ~ (32°F)

**SOLUBILITY IN WATER:** Insoluble

**SPECIFIC GRAVITY:** ~0.92 gm/ml

**VISCOSITY:** Not Available

---

## 10. STABILITY AND REACTIVITY

**STABLE:** YES

**HAZARDOUS POLYMERIZATION:** NO

---

## 11. TOXICOLOGICAL INFORMATION

**SENSITIZATION:** not available

**CARCINOGENICITY:**

**IARC:** Listed by IARC- NO

**NTP:** Listed by NTP- NO

**OSHA:** Listed by OSHA- NO

---

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** not available

ECOTOXICOLOGICAL INFORMATION: not available

---

### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose in accordance with local, state, and federal laws.

---

### 14. TRANSPORT INFORMATION

**DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** CONSUMER COMMODITY-ORM-D

**TECHNICAL NAME:** CONSUMER COMMODITY-ORM-D

**PRIMARY HAZARD CLASS/DIVISION:** N/A

---

### 15. REGULATORY INFORMATION

**CANADA**

**WHMIS HAZARD SYMBOL AND CLASSIFICATION**



WHMIS Combustible Liquid



WHMIS Toxic

**CALIFORNIA PROPOSITION 65:** Warning: This product contains the following chemical(s) known to the State of California to cause cancer:

Acetaldehyde CAS# 75-07-0 \*Trace\*

---

### 16. OTHER INFORMATION

**PREPARED BY:** Tony Casmus

**REVISION SUMMARY** Revision #: 1

This MSDS replaces the February 20, 2001 MSDS. Any changes in information are as follows:  
In Section 15  
Proposition 65 Statement

**HMIS RATING**

**NFPA CODES**

<b>HEALTH:</b>	-	<b>1</b>
<b>FLAMMABILITY:</b>		<b>2</b>
<b>PHYSICAL HAZARD:</b>		<b>0</b>
<b>PERSONAL PROTECTION:</b>		

**0**

**MANUFACTURER DISCLAIMER:** The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.