

# MATERIAL SAFETY DATA SHEET



**Date-Issued:** 02/17/2004  
**MSDS Ref. No:** 1090  
**Date-Revised:** 02/17/2004  
**Revision No:** New MSDS

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT DESCRIPTION:** Auto Polish  
**PRODUCT CODE:** 90  
**PRODUCT FORMULATION NAME:** XP Swirl Remover  
**GENERIC NAME:** Car Polish

### MANUFACTURER

Auto Wax Company, Inc.  
Auto Magic®  
1275 Round Table Drive  
Dallas, TX 75247  
**Product Stewardship:** 1-214-631-4000  
**Transportation:** 1-800-826-0828  
Auto Wax Company, Inc.  
Auto Magic®

### 24 HR. EMERGENCY TELEPHONE NUMBERS

**CHEMTREC (U.S.):** (800) 424-9300  
**CANUTEC:** (613) 996-6666  
**Emergency Phone:** 1-800-826-0828

**COMMENTS:** To the best of our knowledge, this Material Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200.

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>Wt.%</u>	<u>CAS#</u>	<u>EINECS#</u>
Distillates (petroleum) hydrotreated light	5 - 10	64742-47-8	265-149-8
Naphtha(petroleum), hydrotreated heavy (mineral spirits)	10 - 15	64742-48-9	265-150-3

## 3. HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

**IMMEDIATE CONCERNS:** Harmful if swallowed.

**POTENTIAL HEALTH EFFECTS**

**EYES:** May be irritating to the eyes.

**SKIN:** May cause slight irritation.

**INGESTION:** Harmful if swallowed.

**INHALATION:** No hazard in normal industrial use.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE**

**EYES:** Eye contact may cause redness, tearing and a burning sensation.

**INGESTION:** Ingestion may cause nausea and irritation.

**CHRONIC:** not available

**MEDICAL CONDITIONS AGGRAVATED:** dermatitis may be aggravated by excessive exposure to skin.

**ROUTES OF ENTRY:** include skin contact, eye contact and ingestion

**TARGET ORGAN STATEMENT:** not available

**CANCER STATEMENT:** not available

**IRRITANCY:** not available

---

**4. FIRST AID MEASURES**

**EYES:** Flush eye with water for 15 minutes. Seek medical attention if irritation persists.

**SKIN:** Wash with soap and water.

**INGESTION:** Do not induce vomiting. Seek medical attention immediately.

**INHALATION:** Move to fresh air

---

**5. FIRE FIGHTING MEASURES**

**FLASHPOINT AND METHOD:** ~ 49°C (120°F)TCC

**AUTOIGNITION TEMPERATURE:** Not Available

**FLAMMABLE CLASS:** Material will not support combustion.

**EXTINGUISHING MEDIA:** use water, foam, dry chemical or carbon dioxide extinguisher

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Monoxide and Carbon Dioxide

**EXPLOSION HAZARDS:** not available

**AUTOIGNITION TEMPERATURE:** not available

**SENSITIVE TO STATIC DISCHARGE:** none

**SENSITIVITY TO IMPACT:** none

---

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Contain and collect with absorbent

**LARGE SPILL:** LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent.

### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.

---

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** Keep out of reach of Children.

**STORAGE:** Do not allow to freeze

**STORAGE TEMPERATURE:** (35°F) minimum to (95°F) maximum

**SHELF LIFE:** one year

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES:

**OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)**

	<u>EXPOSURE LIMITS</u>		
	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>Supplier OEL</u>

	<u>ppm</u>	<u>mg/m<sup>3</sup></u>	<u>ppm</u>	<u>mg/m<sup>3</sup></u>	<u>ppm</u>	<u>mg/m<sup>3</sup></u>
Distillates (petroleum) hydrotreated light			TWA		300	2300
Naphtha(petroleum), hydrotreated heavy (mineral spirits)			TWA		300	1900

**ENGINEERING CONTROLS:** Good general ventilation should be sufficient to control airborne levels.

#### **PERSONAL PROTECTIVE EQUIPMENT**

**EYES AND FACE:** Wear safety glasses with side shields or goggles.

**SKIN:** Use Nitrile/ Vinyl gloves

**RESPIRATORY:** NIOSH respirator - in absence of proper environmental controls.

**PROTECTIVE CLOTHING:** Clean, body-covering clothing

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

**PHYSICAL STATE:** Liquid

**ODOR:** Characteristic

**APPEARANCE:** Green

**pH:** ~8 to 9

**VAPOR PRESSURE:** Not Available

**VAPOR DENSITY:** Not Available

**FREEZING POINT:** ~ 0°C (32°F)

**SOLUBILITY IN WATER:** Will mix with water

**SPECIFIC GRAVITY:** ~0.9 gm/ml

**VISCOSITY:** Not Available

**(VOC):** <15 % by weight

## **10. STABILITY AND REACTIVITY**

**STABLE:** YES

**HAZARDOUS POLYMERIZATION:** NO

**CONDITIONS TO AVOID:** Avoid high temperatures.

## **11. TOXICOLOGICAL INFORMATION**

**ACUTE:**

**ACUTE**  
not available

**SENSITIZATION:** not available

**TARGET ORGANS:** not available

**SUBCHRONIC:**

not available

**CARCINOGENICITY:**

**IARC:** Listed by IARC- NO

**NTP:** Listed by NTP- NO

**OSHA:** Listed by OSHA- NO

**MUTAGENICITY:** not available

**REPRODUCTIVE EFFECTS:** not available

**NEUROTOXICITY:** not available

---

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** not available

**ECOTOXICOLOGICAL INFORMATION:** not available

---

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose in accordance with local, state, and federal laws.

---

## 14. TRANSPORT INFORMATION

**DOT (DEPARTMENT OF TRANSPORTATION)**

**OTHER SHIPPING INFORMATION:** Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

---

## 15. REGULATORY INFORMATION

**CANADA**

**WHMIS HAZARD SYMBOL AND CLASSIFICATION**



WHMIS Combustible Liquid



WHMIS Toxic

## 16. OTHER INFORMATION

**PREPARED BY:** Barry Brown

**REVISION SUMMARY** New MSDS

### HMIS RATING

<b>HEALTH:</b>	<input type="checkbox"/>	<b>1</b>
<b>FLAMMABILITY:</b>		<b>2</b>
<b>PHYSICAL HAZARD:</b>		<b>0</b>
<b>PERSONAL PROTECTION:</b>		

### NFPA CODES

**0**

**MANUFACTURER DISCLAIMER:** The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.