

MATERIAL SAFETY DATA SHEET



Date-Issued: 07/06/2000
MSDS Ref. No: 10076
Date-Revised: 05/07/2004
Revision No: 2

GS-1 Color Restorer™

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: GS-1 Color Restorer™
GENERAL USE: Automotive reconditioning product
PRODUCT DESCRIPTION: Auto Polish
PRODUCT CODE: 76
PRODUCT FORMULATION NAME: GS-1 Color Restorer™
GENERIC NAME: Car Polish

MANUFACTURER

Auto Wax Company, Inc.
Auto Magic®
1275 Round Table Drive
Dallas, TX 75247
Product Stewardship: 1-214-631-4000
Transportation: 1-800-826-0828
Auto Wax Company, Inc.
Auto Magic®

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC (U.S.): (800) 424-9300
CANUTEC: (613) 996-6666
Emergency Phone: 1-800-826-0828

COMMENTS: To the best of our knowledge, this Material Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200.

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>Wt.%</u>	<u>CAS#</u>	<u>EINECS#</u>
Naphtha	10 - 15	8032 -32-4	232-453-7
Mineral Spirits	5 - 15	64475-85-0	
Kerosine (petroleum) (Kerosene)	1 - 5	8008-20-6	232-366-4

COMMENTS: Product composition ranges shown are typical values for health, safety and environmental use and are not intended as specification.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: Harmful if swallowed.

POTENTIAL HEALTH EFFECTS

EYES: May be irritating to the eyes.

SKIN: May cause slight irritation.

INGESTION: Harmful if swallowed.

INHALATION: No hazard in normal industrial use.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Eye contact may cause redness, tearing and a burning sensation.

INGESTION: Ingestion may cause nausea and irritation.

CHRONIC: not available

MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive exposure to skin.

ROUTES OF ENTRY: include skin contact, eye contact and ingestion

TARGET ORGAN STATEMENT: not available

CANCER STATEMENT: not available

IRRITANCY: not available

4. FIRST AID MEASURES

EYES: Flush eye with water for 15 minutes. Seek medical attention if irritation persists.

SKIN: Wash with soap and water.

INGESTION: Do not induce vomiting. Seek medical attention immediately.

INHALATION: Move to fresh air

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: ~ 38°C TCC

FLAMMABLE LIMITS: Not Available

AUTOIGNITION TEMPERATURE: Not Available

FLAMMABLE CLASS: Material will not support combustion.

EXTINGUISHING MEDIA: use water, foam, dry chemical or carbon dioxide extinguisher

HAZARDOUS COMBUSTION PRODUCTS: Carbon Monoxide and Carbon Dioxide

EXPLOSION HAZARDS: not available

AUTOIGNITION TEMPERATURE: not available

SENSITIVE TO STATIC DISCHARGE: none

SENSITIVITY TO IMPACT: none

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain and collect with absorbent

LARGE SPILL: LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid runoff into storm sewers and ditches which lead to waterways.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Keep out of reach of Children.

STORAGE: Do not allow to freeze

STORAGE TEMPERATURE: (35°F) minimum to (95°F) maximum

SHELF LIFE: one year

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES:

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)

		<u>EXPOSURE LIMITS</u>					
		<u>OSHA PEL</u>		<u>ACGIH TLV</u>		<u>Supplier OEL</u>	
		<u>ppm</u>	<u>mg/m³</u>	<u>ppm</u>	<u>mg/m³</u>	<u>ppm</u>	<u>mg/m³</u>
Naphtha	TWA	300		300			
	STEL			400			
Mineral Spirits	TWA	100		100		200	
Kerosine (petroleum) (Kerosene)	TWA					400	

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses with side shields or goggles.

SKIN: Use Nitrile/ Vinyl gloves

RESPIRATORY: NIOSH respirator - in absence of proper environmental controls.

PROTECTIVE CLOTHING: Clean, body-covering clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: fruity odor

APPEARANCE: Orange Liquid

pH: ~8 to 9

PERCENT VOLATILE: 80-90

VAPOR PRESSURE: Not Available

VAPOR DENSITY: Not Available

FREEZING POINT: ~ 0°C (32°F)

SOLUBILITY IN WATER: Will mix with water

SPECIFIC GRAVITY: ~1 gm/ml

VISCOSITY: Not Available

10. STABILITY AND REACTIVITY

STABLE: YES

HAZARDOUS POLYMERIZATION: NO

CONDITIONS TO AVOID: Avoid high temperatures.

11. TOXICOLOGICAL INFORMATION

ACUTE
not available

SENSITIZATION: not available

TARGET ORGANS: not available

SUBCHRONIC:
not available

CARCINOGENICITY:

IARC: Listed by IARC- NO

NTP: Listed by NTP- NO

OSHA: Listed by OSHA- NO

MUTAGENICITY: not available

REPRODUCTIVE EFFECTS: not available

NEUROTOXICITY: not available

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: not available

ECOTOXICOLOGICAL INFORMATION: not available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose in accordance with local, state, and federal laws.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: NOT REGULATED

OTHER SHIPPING INFORMATION: Not dangerous material according to CFR49 regulations

15. REGULATORY INFORMATION

CANADA

WHMIS HAZARD SYMBOL AND CLASSIFICATION



WHMIS Combustible Liquid



WHMIS Toxic

16. OTHER INFORMATION

PREPARED BY: Tony Casmus

REVISION SUMMARY Revision #: 2

This MSDS replaces the May 06, 2004 MSDS. Any changes in information are as follows:

HMIS RATING

NFPA CODES

HEALTH:	<input type="checkbox"/>	1
FLAMMABILITY:	<input type="checkbox"/>	2
PHYSICAL HAZARD:	<input type="checkbox"/>	0
PERSONAL PROTECTION:		

0

MANUFACTURER DISCLAIMER: The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.