

MATERIAL SAFETY DATA SHEET



Date Issued: 07/13/2000
MSDS No: 10057
Date-Revised: 02/11/2009
Revision No: 3

Vinyl & Leather Cleaner

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Vinyl & Leather Cleaner
PRODUCT DESCRIPTION: Vinyl and Leather Cleaner
PRODUCT CODE: 57
PRODUCT FORMULATION NAME: Vinyl & Leather Cleaner
GENERIC NAME: Cleaner

MANUFACTURER

Auto Wax - An ITW Company
Auto Magic®
1275 Round Table Drive
Dallas, TX 75247

Product Stewardship: 1-800-826-0828

Transportation: 1-800-826-0828

Service Number: 1-214-631-4000

Auto Wax - An ITW Company
Auto Magic®

24 HR. EMERGENCY TELEPHONE NUMBERS

1-800-826-0828

COMMENTS: To the best of our knowledge, this Material Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200.

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: CAUTION! May cause eye and skin irritation.

POTENTIAL HEALTH EFFECTS

EYES: May be irritating to the eyes.

SKIN: May cause slight irritation.

INGESTION: May be irritating to mouth, throat and stomach.

INHALATION: No hazard in normal industrial use.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Eye contact may cause redness, tearing and a burning sensation.

INGESTION: Ingestion may cause nausea and irritation.

MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive exposure to skin.

ROUTES OF ENTRY: include skin contact, eye contact and ingestion

TARGET ORGAN STATEMENT: not available

CANCER STATEMENT: not available

IRRITANCY: not available

SENSITIZATION: not available

HEALTH HAZARDS: Moderately irritating to the eyes.

PHYSICAL HAZARDS: Solutions extremely slippery when spilled.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS
1-butoxypropan-2-ol (Glycol Ether)	< 1	5131-66-8

4. FIRST AID MEASURES

EYES: Flush eye with water for 15 minutes. Seek medical attention if irritation persists.

SKIN: Wash with soap and water.

INGESTION: If swallowed, induce vomiting . Get medical attention immediately.

INHALATION: Move to fresh air

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: not available

AUTOIGNITION TEMPERATURE:

Notes: not available

FLAMMABLE CLASS: Material will not burn.

EXTINGUISHING MEDIA: use water, foam, dry chemical or carbon dioxide extinguisher

HAZARDOUS COMBUSTION PRODUCTS: Carbon Monoxide and Carbon Dioxide

EXPLOSION HAZARDS: Not Applicable

SENSITIVE TO STATIC DISCHARGE: Not Applicable

SENSITIVITY TO IMPACT: Not Applicable

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain and collect with absorbent

LARGE SPILL: LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid runoff into storm sewers and ditches which lead to waterways.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Keep out of reach of Children.

STORAGE: Do not allow to freeze

STORAGE TEMPERATURE: (32°F) Minimum to (100°F) Maximum

SHELF LIFE: one year

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)			
			EXPOSURE LIMITS
			Supplier OEL
Chemical Name			ppm mg/m ³
1-butoxypropan-2-ol (Glycol Ether)	TWA	50 ppm	

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses with side shields or goggles.

SKIN: Use Nitrile/ Vinyl gloves

RESPIRATORY: none

PROTECTIVE CLOTHING: Clean, body-covering clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	Flash Point (°C)	Boiling Point (°C)	Specific Gravity
1-butoxypropan-2-ol (Glycol Ether)	63	171	0.878

PHYSICAL STATE: Liquid

ODOR: Typical

APPEARANCE: Clear blue liquid

pH: < 10

PERCENT VOLATILE: Not Available

VAPOR PRESSURE: Not Available**VAPOR DENSITY:** Not Available**BOILING POINT:** Not Available**FREEZING POINT:** ~ 0°C (32°F)**FLASHPOINT AND METHOD:** not available**SOLUBILITY IN WATER:** 100 %**SPECIFIC GRAVITY:** ~ 1.000 gm/ml**VISCOSITY:** Not Available**10. STABILITY AND REACTIVITY****STABLE:** Yes**HAZARDOUS POLYMERIZATION:** No**11. TOXICOLOGICAL INFORMATION****ACUTE**

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)
1-butoxypropan-2-ol (Glycol Ether)	~ 3.3 g/Kg-rat	~ 2000 mg/Kg- rat


CARCINOGENICITY**IARC:** Listed by IARC- NO**NTP:** Listed by NTP- NO**OSHA:** Listed by OSHA- NO**SENSITIZATION:** not available**NEUROTOXICITY:** not available**REPRODUCTIVE EFFECTS:** not available**TARGET ORGANS:** not available**MUTAGENICITY:** not available**12. ECOLOGICAL INFORMATION****ENVIRONMENTAL DATA:** not available**ECOTOXICOLOGICAL INFORMATION:** not available**GENERAL COMMENTS:** All ingredients are considered biodegradable.**13. DISPOSAL CONSIDERATIONS****DISPOSAL METHOD:** Dispose in accordance with local, state, and federal laws.**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)****PROPER SHIPPING NAME:** NOT REGULATED**OTHER SHIPPING INFORMATION:** Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.**15. REGULATORY INFORMATION****UNITED STATES****TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA REGULATORY:** All Ingredients are on the TSCA Inventory or are not required to be listed on the TSCA Inventory**CANADA**

WHMIS HAZARD SYMBOL AND CLASSIFICATION

Toxic

16. OTHER INFORMATION**PREPARED BY:** Tony Casmus**REVISION SUMMARY:** Revision #: 3. This MSDS replaces the March 05, 2007 MSDS. Any changes in information are as follows: In Section 14: DOT Proper Shipping Name**HMIS RATING**

HEALTH:	-	1
FLAMMABILITY:		0
PHYSICAL HAZARD:		0
PERSONAL PROTECTION:		

NFPA CODES

MANUFACTURER DISCLAIMER: The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.