

SAFETY DATA SHEET

1. Identification

Product identifier	Red Thunder	
Other means of identification		
Product Code	1023	
Recommended use	Degreaser	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/I	Distributor information	
Manufacturer		
Company name	Malco Products, Inc.	
Address	361 Fairview Ave	
	Barberton, OH 44203	
	United States	
Telephone	Phone	800-253-2526
	Fax	330-753-2025
Website	www.malcopro.com	
E-mail	msdsinfo@malcopro.com	
Contact person	Technical Department	
Emergency phone number	Phone	1-800-424-9300

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 1A
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Signal word Hazard statement

Label elements

Danger Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation.

Precautionary statement

Prevention

Response

Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in every Rinse continuely with water for several minutes.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.	
Dispose of contents/container in accordance with local/regional/national/internation	nal regulations.
Hazard(s) not otherwise None known. classified (HNOC)	
Supplemental information 5.73% of the mixture consists of component(s) of unknown acute dermal toxicity. % consists of component(s) of unknown acute inhalation toxicity. 7.3% of the mixture component(s) of unknown acute hazards to the aquatic environment. 7.3% of the mixture of component(s) of unknown long-term hazards to the aquatic environment.	consists of
Material name: Red Thunder	SDS US
1023 Version #: 08 Revision date: 10-13-2020 Issue date: 11-22-2016	1 / 8

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
"Sulfonic Acids, C14-16-alkane Hydroxy And C14-16-alkene, Sodium Salts"		68439-57-6	1 - < 3
2-(2-Butoxyethoxy)ethanol		112-34-5	1 - < 3
DISODIUM METASILICATE		6834-92-0	1 - < 3
Soda Ash - Dense		497-19-8	1 - < 3
Tetrasodium Ethylenediaminetetraacetate		64-02-8	< 1
Sodium Silicate		1344-09-8	< 0.2
Sodium Hydroxide		1310-73-2	< 0.1
Other components below reportab	le levels		90 - 100

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unquitable extinguishing	Do not use water let as an extinguisher, as this will enread the fire

Suitable extinguishing media	Water rog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Materi	al name: Red T	hunder		SDS US
1023	Version #: 08	Revision date: 10-13-2020	Issue date: 11-22-2016	2/8

Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	
Sodium Hydroxide (CAS 1310-73-2)	PEL	2 mg/m3	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
2-(2-Butoxyethoxy)ethanol (CAS 112-34-5)	TWA	10 ppm	Inhalable fraction and vapor.
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
US. NIOSH: Pocket Guide to	o Chemical Hazards		
Components	Туре	Value	
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
logical limit values	No biological exposure limits noted for	or the ingredient(s).	
propriate engineering ntrols	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ wash facilities and emergency showe	pplicable, use process enclos tain airborne levels below rec ished, maintain airborne level	sures, local exhaust ventilation commended exposure limits. I s to an acceptable level. Eye
ividual protection measures	, such as personal protective equipm	ent	
Eye/face protection	Wear safety glasses with side shields recommended.	s (or goggles) and a face shie	ld. Face shield is
Skin protection			
Hand protection	Wear appropriate chemical resistant	gloves.	
Other	Wear appropriate chemical resistant	clothing. Use of an imperviou	s apron is recommended.
Pospiratory protoction	In case of insufficient ventilation, we	r cuitable respiratory equipm	opt Chamical respirator with

Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapor cartridge.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Clear.
Physical state	Liquid.

Material name: Red Thunder		SDS US
1023 Version #: 08 Revision date: 10-13-2020	Issue date: 11-22-2016	3 / 8

Form	Liquid.
Color	Brown
Odor	Cinnamon
Odor threshold	Not available.
рН	12.7
Melting point/freezing point	1090.8 °F (588.22 °C) estimated
Initial boiling point and boiling range	446.72 °F (230.4 °C) estimated
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.0008 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	5 cP estimated
Viscosity temperature	68 °F (20 °C) estimated
Other information	
Density	8.80 lb/gal estimated
Explosive properties	Not explosive.
Kinematic viscosity	4.77 cSt estimated
Kinematic viscosity temperature	68 °F (20 °C) estimated
Oxidizing properties	Not oxidizing.
VOC	0 %
10. Stability and reactivity	

10. Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

Conditions to avoid	Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological inform	ation

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalat	ion may be harmful.
Skin contact	Causes severe skin burns.	
Eye contact	Causes serious eye damage.	
Material name: Red Thunder		SDS US
1023 Version #: 08 Revis	ion date: 10-13-2020 Issue date: 11-22-2016	4 / 8

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the
physical, chemical and
toxicological characteristicsBurning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may
include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including
blindness could result. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity

In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Harmful if swallowed.

Components	Species	Test Results
2-(2-Butoxyethoxy)ethanol (CAS	112-34-5)	
Acute		
Dermal		
LD50	Rabbit	2700 mg/kg
Oral		
LD50	Rat	4500 mg/kg
Soda Ash - Dense (CAS 497-19-8	3)	
<u>Acute</u>		
Oral		
LD50	Rat	4090 mg/kg
Sodium Silicate (CAS 1344-09-8)		
<u>Acute</u>		
Oral		
LD50	Rat	1.1 g/kg
Skin corrosion/irritation	Causes severe skin burns and eye da	mage.
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to	o humans.
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed.		
	ed Substances (29 CFR 1910.1001-105	2)
Not regulated.	Annon (NTD) Deport on Corcineran	
Not listed.	ogram (NTP) Report on Carcinogens	
Reproductive toxicity	This product is not expected to cause	reproductive or developmental effects.
		reproductive or developmental enects.
Specific target organ toxicity - single exposure	May cause respiratory irritation.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	

12. Ecological information

Species	Test Results
nd C14-16-alkene, Sodium Salts" (CAS 68	3439-57-6)
Water flea (Ceriodaphnia dubia)	4.14 - 4.95 mg/l, 48 hours
	Water flea (Ceriodaphnia dubia)

5/8

1023 Version #: 08 Revision date: 10-13-2020 Issue date: 11-22-2016

Components		Species	Test Results
2-(2-Butoxyethoxy)ethanol (0	CAS 112-34-5)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	1300 mg/l, 96 hours
DISODIUM METASILICATE	(CAS 6834-92-0)	
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.28 - 0.57 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	1800 mg/l, 96 hours
Soda Ash - Dense (CAS 497	'- 19-8)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	156.6 - 298.9 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	300 mg/l, 96 hours
Sodium Hydroxide (CAS 131	10-73-2)		
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	125 mg/l, 96 hours
Sodium Silicate (CAS 1344-0	09-8)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.28 - 0.57 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	1800 mg/l, 96 hours
Tetrasodium Ethylenediamin	etetraacetate (C	AS 64-02-8)	
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	472 - 500 mg/l, 96 hours
sistence and degradability	No data is ava	ailable on the degradability of this product.	
accumulative potential			
Partition coefficient n-octa	nol / water (log	Kow)	
2-(2-Butoxyethoxy)ethanol		0.56	
bility in soil	No data availa	able.	
ner adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation	
	potential, end	ocrine disruption, global warming potential)	are expected from this component.
. Disposal consideration	ons		
posal instructions		eclaim or dispose in sealed containers at lic	
		ainer in accordance with local/regional/nation	onal/international regulations.
cal disposal regulations	•	cordance with all applicable regulations.	
zardous waste code	disposal com	-	·
ste from residues / unused ducts		accordance with local regulations. Empty c ues. This material and its container must be uctions).	
ntaminated packaging	•	d containers may retain product residue, fol oty containers should be taken to an approv	•

14. Transport information

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot established.Annex II of MARPOL 73/78 andthe IBC Code

Material name: Red Thunder		SDS US
1023 Version #: 08 Revision date: 10-13-2020	Issue date: 11-22-2016	6 / 8

15. Regulatory information

15. Regulatory information	11		
US federal regulations	This product is a "Ha Standard, 29 CFR 1	azardous Chemical" as defined by the OSF 910.1200.	IA Hazard Communication
TSCA Section 12(b) Export	Notification (40 CFR	707, Subpt. D)	
Not regulated.			
CERCLA Hazardous Substa	ince List (40 CFR 302	2.4)	
Sodium Hydroxide (CAS	,	Listed.	
SARA 304 Emergency relea	se notification		
Not regulated.	d Substanses (20 CE	E 4040 4004 4052)	
OSHA Specifically Regulate Not regulated.	u Substances (29 CF	R 1910.1001-1052)	
Superfund Amendments and Re	authorization Act of	1986 (SARA)	
SARA 302 Extremely hazard			
Not listed.			
Classified hazard	Acute toxicity (any ro	oute of exposure)	
categories	Skin corrosion or irri		
	Serious eye damage Respiratory or skin s		
	· ·	n toxicity (single or repeated exposure)	
SARA 313 (TRI reporting)			
Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Section	າ 112 Hazardous Air F	Pollutants (HAPs) List	
Not regulated.			
	112(r) Accidental Re	elease Prevention (40 CFR 68.130)	
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations			
California Proposition 6	35		
is not known to conta	•	Inforcement Act of 2016 (Proposition 65): T ently listed as carcinogens or reproductive .ca.gov.	
US. California. Candida subd. (a))	te Chemicals List. Sa	afer Consumer Products Regulations (Ca	al. Code Regs, tit. 22, 69502.3,
Sodium Hydroxide (0	CAS 1310-73-2)		
International Inventories	 ,		
Country(s) or region	Inventory name		On inventory (yes/no)*
Canada	Domestic Substance	es List (DSL)	Yes
Canada	Non-Domestic Subs		No
United States & Puerto Rico		ontrol Act (TSCA) Inventory	Yes
	TONIC OUDSIGNCES O		165

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

11 00 0010

Issue date	11-22-2016
Revision date	10-13-2020
Version #	08

Material name: Red Thunder		SDS US
1023 Version #: 08 Revision date: 10-13-2020	Issue date: 11-22-2016	7 / 8

Disclaimer	Malco Products, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Hazard(s) identification: Response Hazard(s) identification: Hazard(s) not otherwise classified (HNOC) First-aid measures: Eye contact Accidental release measures: Personal precautions, protective equipment and emergency procedures Accidental release measures: Methods and materials for containment and cleaning up Handling and storage: Conditions for safe storage, including any incompatibilities Physical and chemical properties: Color Regulatory information: California Proposition 65 Other information, including date of preparation or last revision: References HazReg Data: International Inventories GHS: Classification

Material name: Red Thunder				SDS US
1023	Version #: 08	Revision date: 10-13-2020	Issue date: 11-22-2016	8 / 8