SAFETY DATA SHEET

1. Identification

Product identifier	Red Alert Wheel Cleaner	
Other means of identification		
Product Code	1934	
Recommended use	Wheel Cleaner	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name	Malco Products, Inc.	
Address	361 Fairview Ave	
	Barberton, OH 44203	
	United States	
Telephone	Phone	800-253-2526
	Fax	330-753-2025
Website	www.malcopro.com	
E-mail	msdsinfo@malcopro.com	
Contact person	Technical Department	
Emergency phone number	Phone	1-800-424-9300

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.
Precautionary statement	
Prevention	Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
Response	Rinse mouth. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	10.63% of the mixture consists of component(s) of unknown acute dermal toxicity. 10.63% of the mixture consists of component(s) of unknown acute inhalation toxicity. 19.81% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 19.81% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name Common name and synonyms		CAS number	%	
Berol 226 SA		Proprietary	3 - < 5	
potassium;hydroxide		1310-58-3	1 - < 3	
tetrasodium;2-[2-[bis(carboxylatome thyl)amino]ethyl-(carboxylatomethyl)amino]acetate		64-02-8	< 1	
2-methylpentane-2,4-diol		107-41-5	< 0.1	
sodium;hydroxide		1310-73-2	< 0.1	
Other components below reportable	levels		90 - 100	

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautionsNever return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage Precautions for safe handling

Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage,Siincluding any incompatibilitiesSe

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value		
sodium;hydroxide (CAS 1310-73-2)	PEL	2 mg/m3		
US. ACGIH Threshold Limit	Values			
Components	Туре	Value	Form	
2-methylpentane-2,4-diol (CAS 107-41-5)	STEL	10 mg/m3	Aerosol, inhalable.	
		50 ppm	Vapor fraction	
	TWA	25 ppm	Vapor fraction	
potassium;hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m3		
sodium;hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3		
US. NIOSH: Pocket Guide to	o Chemical Hazards			
Components	Туре	Value		
2-methylpentane-2,4-diol (CAS 107-41-5)	Ceiling	125 mg/m3		
		25 ppm		
potassium;hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m3		
sodium;hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3		
logical limit values	No biological exposure limits noted for	r the ingredient(s).		
propriate engineering trols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.			
vidual protection measures	, such as personal protective equipm	ent		
Eye/face protection	Wear safety glasses with side shields	(or goggles) and a face shiel	d.	
Skin protection				
Hand protection	Wear appropriate chemical resistant	Wear appropriate chemical resistant gloves.		
Other	Wear appropriate chemical resistant	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wea	r suitable respiratory equipme	nt.	
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.		
neral hygiene siderations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			

9. Physical and chemical properties

Appearance

Physical state

Liquid.

Form	Liquid.
Color	Reddish-purple Brown
Odor	Slight.
Odor threshold	Not available.
рН	12
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	5 cP
Viscosity temperature	68 °F (20 °C)
Other information	
Density	8.64 lbs/gal
Explosive properties	Not explosive.
Kinematic viscosity	4.774 cSt
Kinematic viscosity temperature	68 °F (20 °C)
Oxidizing properties	Not oxidizing.
VOC	0 % w/w By Weight
10. Stability and reactivity	
Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity	Harmful if	swallowed.		
Components	Species	6	Test Results	
2-methylpentane-2,4-diol (CAS 1	07-41-5)			
Acute				
Oral				
LD50	Rat		4.79 g/kg	
potassium;hydroxide (CAS 1310-	58-3)			
Acute				
Oral	5.			
LD50	Rat		273 mg/kg	
* Estimates for product may	be based on a	additional component data not shown.		
Skin corrosion/irritation	Causes se	evere skin burns and eye damage.		
Serious eye damage/eye irritation	Causes se	erious eye damage.		
Respiratory or skin sensitizatio	on			
Respiratory sensitization	Not a resp	iratory sensitizer.		
Skin sensitization	This produ	ict is not expected to cause skin sensitization	on.	
Germ cell mutagenicity		vailable to indicate product or any compone or genotoxic.	nts present at greater than 0.1% are	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.			
IARC Monographs. Overall	Evaluation	of Carcinogenicity		
Not listed.				
OSHA Specifically Regulat	ed Substanc	es (29 CFR 1910.1001-1053)		
Not listed.				
US. National Toxicology Pr Not listed.	rogram (NTP) Report on Carcinogens		
Reproductive toxicity	This produ	ict is not expected to cause reproductive or	developmental effects	
Specific target organ toxicity -	This product is not expected to cause reproductive or developmental effects. Not classified.			
single exposure				
Specific target organ toxicity - repeated exposure	Not classi	Not classified.		
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhalation may be harmful.			
12. Ecological informatio	n			
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Product		Species	Test Results	
Red Alert Wheel Cleaner				
Aquatic				
Crustacea	EC50	Daphnia	1334.1752 mg/l, 48 hours	
Fish	LC50	Fish	6173.7881 mg/l, 96 hours	
Acute				
Crustacea	EC50	Daphnia	32.1837 mg/l, 48 hours estimated	
Components		Species	Test Results	
2-methylpentane-2,4-diol (CA Aquatic	AS 107-41-5)			
Acute				
Crustacea	EC50	Water flea (Ceriodaphnia reticulata)	>= 2400 - <= 3200 mg/l, 48 hours	
F : 1	1.050		5 7000 1 0100 m m/L 00 h mm	

Bleak (Alburnus alburnus)

>= 7000 - <= 9100 mg/l, 96 hours

LC50

Fish

Components		Species	Test Results
potassium;hydroxide (CAS 1	310-58-3)		
Aquatic			
Acute			
Fish	LC50	Western mosquitofish (Gam	nbusia affinis) 80 mg/l, 96 hours
sodium;hydroxide (CAS 1310)-73-2)		
Aquatic			
Acute			
Fish	LC50	Western mosquitofish (Gam	nbusia affinis) 125 mg/l, 96 hours
tetrasodium;2-[2-[bis(carboxy	latomethyl)a	mino]ethyl-(carboxylatomethyl)an	nino]acetate (CAS 64-02-8)
Aquatic			
Acute			
Fish	LC50	Bluegill (Lepomis macrochir	rus) >= 472 - <= 500 mg/l, 96 hours
* Estimates for product may b	be based on a	additional component data not sh	iown.
ersistence and degradability	No data is	available on the degradability of	this product.
ioaccumulative potential			
Partition coefficient n-octain 2-methylpentane-2,4-diol	nol / water (l	og Kow) 0.58	
obility in soil	No data av	vailable.	
ther adverse effects			g. ozone depletion, photochemical ozone creation ning potential) are expected from this component.
3. Disposal consideratio	ns		
isposal instructions	the materi		o hazardous or special waste collection point. Incinerat an approved incinerator. Dispose of contents/container nternational regulations.
ocal disposal regulations	Dispose in	accordance with all applicable re	egulations.
azardous waste code			r =>12.5, or corrosive to steel] cussion between the user, the producer and the waste
/aste from residues / unused roducts	product re		tions. Empty containers or liners may retain some tainer must be disposed of in a safe manner (see:
ontaminated packaging			ict residue, follow label warnings even after container i n to an approved waste handling site for recycling or
4. Transport information	1		
ОТ			
Not regulated as dangerous	goods.		
TA			
Not regulated as dangerous	goods.		
IDG			
Not regulated as dangerous	goods.		
ransport in bulk according to	Not establ	ished.	

Transport in bulk according to Not es Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
Toxic Substances Control A	Act (TSCA)	One or more components of the mixture are not on the TSCA 8(b) inventory

or are designated "inactive". TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4) potassium; hydroxide (CAS 1310-58-3) Listed. sodium; hydroxide (CAS 1310-73-2) Listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous Yes chemical **Classified hazard** Acute toxicity (any route of exposure) categories Skin corrosion or irritation Serious eye damage or eye irritation SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

sodium;hydroxide (CAS 1310-73-2)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	03-10-2015
Revision date	03-03-2022
Version #	06
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Malco Products, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.